

# **1 Apache::Const - Perl Interface for Apache Constants**

## 1.1 Synopsis

```
use Apache::Const -compile => qw(constant names ...);
```

## 1.2 Constants

### *1.2.1 :cmd\_how*

```
use Apache::Const -compile => qw(:cmd_how);
```

The `:cmd_how` group is for XXX constants.

#### **1.2.1.1 Apache::FLAG**

#### **1.2.1.2 Apache::ITERATE**

#### **1.2.1.3 Apache::ITERATE2**

#### **1.2.1.4 Apache::NO\_ARGS**

#### **1.2.1.5 Apache::RAW\_ARGS**

#### **1.2.1.6 Apache::TAKE1**

#### **1.2.1.7 Apache::TAKE12**

#### **1.2.1.8 Apache::TAKE123**

#### **1.2.1.9 Apache::TAKE13**

#### **1.2.1.10 Apache::TAKE2**

#### **1.2.1.11 Apache::TAKE23**

#### **1.2.1.12 Apache::TAKE3**

### *1.2.2 :common*

```
use Apache::Const -compile => qw(:common);
```

The `:common` group is for XXX constants.

**1.2.2.1 Apache::AUTH\_REQUIRED**

**1.2.2.2 Apache::DECLINED**

**1.2.2.3 Apache::DONE**

**1.2.2.4 Apache::FORBIDDEN**

**1.2.2.5 Apache::NOT\_FOUND**

**1.2.2.6 Apache::OK**

**1.2.2.7 Apache::REDIRECT**

**1.2.2.8 Apache::SERVER\_ERROR**

### ***1.2.3 :config***

```
use Apache::Const -compile => qw(:config);
```

The :config group is for XXX constants.

**1.2.3.1 Apache::DECLINE\_CMD**

### ***1.2.4 :filter\_type***

```
use Apache::Const -compile => qw(:filter_type);
```

The :filter\_type group is for XXX constants.

**1.2.4.1 Apache::FTYPE\_CONNECTION**

**1.2.4.2 Apache::FTYPE\_CONTENT\_SET**

**1.2.4.3 Apache::FTYPE\_NETWORK**

**1.2.4.4 Apache::FTYPE\_PROTOCOL**

**1.2.4.5 Apache::FTYPE\_RESOURCE**

**1.2.4.6 Apache::FTYPE\_TRANSCODE**

1.2.5 :http

## ***1.2.5 :http***

```
use Apache::Const -compile => qw(:http);
```

The :http group is for XXX constants.

**1.2.5.1 Apache::HTTP\_ACCEPTED**

**1.2.5.2 Apache::HTTP\_BAD\_GATEWAY**

**1.2.5.3 Apache::HTTP\_BAD\_REQUEST**

**1.2.5.4 Apache::HTTP\_CONFLICT**

**1.2.5.5 Apache::HTTP\_CONTINUE**

**1.2.5.6 Apache::HTTP\_CREATED**

**1.2.5.7 Apache::HTTP\_EXPECTATION\_FAILED**

**1.2.5.8 Apache::HTTP\_FAILED\_DEPENDENCY**

**1.2.5.9 Apache::HTTP\_FORBIDDEN**

**1.2.5.10 Apache::HTTP\_GATEWAY\_TIME\_OUT**

**1.2.5.11 Apache::HTTP\_GONE**

**1.2.5.12 Apache::HTTP\_INSUFFICIENT\_STORAGE**

**1.2.5.13 Apache::HTTP\_INTERNAL\_SERVER\_ERROR**

**1.2.5.14 Apache::HTTP\_LENGTH\_REQUIRED**

**1.2.5.15 Apache::HTTP\_LOCKED**

**1.2.5.16 Apache::HTTP\_METHOD\_NOT\_ALLOWED**

**1.2.5.17 Apache::HTTP\_MOVED\_PERMANENTLY**

**1.2.5.18 Apache::HTTP\_MOVED\_TEMPORARILY**

**1.2.5.19 Apache::HTTP\_MULTIPLE\_CHOICES**

- 1.2.5.20 Apache::HTTP\_MULTI\_STATUS
- 1.2.5.21 Apache::HTTP\_NON\_AUTHORITATIVE
- 1.2.5.22 Apache::HTTP\_NOT\_ACCEPTABLE
- 1.2.5.23 Apache::HTTP\_NOT\_EXTENDED
- 1.2.5.24 Apache::HTTP\_NOT\_FOUND
- 1.2.5.25 Apache::HTTP\_NOT\_IMPLEMENTED
- 1.2.5.26 Apache::HTTP\_NOT\_MODIFIED
- 1.2.5.27 Apache::HTTP\_NO\_CONTENT
- 1.2.5.28 Apache::HTTP\_OK
- 1.2.5.29 Apache::HTTP\_PARTIAL\_CONTENT
- 1.2.5.30 Apache::HTTP\_PAYMENT\_REQUIRED
- 1.2.5.31 Apache::HTTP\_PRECONDITION\_FAILED
- 1.2.5.32 Apache::HTTP\_PROCESSING
- 1.2.5.33 Apache::HTTP\_PROXY\_AUTHENTICATION\_REQUIRED
- 1.2.5.34 Apache::HTTP\_RANGE\_NOT\_SATISFIABLE
- 1.2.5.35 Apache::HTTP\_REQUEST\_ENTITY\_TOO\_LARGE
- 1.2.5.36 Apache::HTTP\_REQUEST\_TIME\_OUT
- 1.2.5.37 Apache::HTTP\_REQUEST\_URI\_TOO\_LARGE
- 1.2.5.38 Apache::HTTP\_RESET\_CONTENT
- 1.2.5.39 Apache::HTTP\_SEE\_OTHER
- 1.2.5.40 Apache::HTTP\_SERVICE\_UNAVAILABLE

## 1.2.6 :input\_mode

**1.2.5.41 Apache::HTTP\_SWITCHING\_PROTOCOLS**

**1.2.5.42 Apache::HTTP\_TEMPORARY\_REDIRECT**

**1.2.5.43 Apache::HTTP\_UNAUTHORIZED**

**1.2.5.44 Apache::HTTP\_UNPROCESSABLE\_ENTITY**

**1.2.5.45 Apache::HTTP\_UNSUPPORTED\_MEDIA\_TYPE**

**1.2.5.46 Apache::HTTP\_USE\_PROXY**

**1.2.5.47 Apache::HTTP\_VARIANT\_ALSO\_VARIES**

## ***1.2.6 :input\_mode***

```
use Apache::Const -compile => qw(:input_mode);
```

The :input\_mode group is for XXX constants.

**1.2.6.1 Apache::MODE\_EATCRLF**

**1.2.6.2 Apache::MODE\_EXHAUSTIVE**

**1.2.6.3 Apache::MODE\_GETLINE**

**1.2.6.4 Apache::MODE\_INIT**

**1.2.6.5 Apache::MODE\_READBYTES**

**1.2.6.6 Apache::MODE\_SPECULATIVE**

## ***1.2.7 :log***

```
use Apache::Const -compile => qw(:log);
```

The :log group is for XXX constants.

**1.2.7.1 Apache::LOG\_ALERT**

**1.2.7.2 Apache::LOG\_CRIT**

**1.2.7.3 Apache::LOG\_DEBUG**

**1.2.7.4 Apache::LOG\_EMERG**

**1.2.7.5 Apache::LOG\_ERR**

**1.2.7.6 Apache::LOG\_INFO**

**1.2.7.7 Apache::LOG\_LEVELMASK**

**1.2.7.8 Apache::LOG\_NOTICE**

**1.2.7.9 Apache::LOG\_STARTUP**

**1.2.7.10 Apache::LOG\_TOCLIENT**

**1.2.7.11 Apache::LOG\_WARNING**

## ***1.2.8 :methods***

```
use Apache::Const -compile => qw(:methods);
```

The :methods group is for XXX constants.

**1.2.8.1 Apache::METHODS**

**1.2.8.2 Apache::M\_BASELINE\_CONTROL**

**1.2.8.3 Apache::M\_CHECKIN**

**1.2.8.4 Apache::M\_CHECKOUT**

**1.2.8.5 Apache::M\_CONNECT**

**1.2.8.6 Apache::M\_COPY**

**1.2.8.7 Apache::M\_DELETE**

**1.2.8.8 Apache::M\_GET**

**1.2.8.9 Apache::M\_INVALID**

**1.2.8.10 Apache::M\_LABEL**

1.2.9 :mpmq

**1.2.8.11 Apache::M\_LOCK**

**1.2.8.12 Apache::M\_MERGE**

**1.2.8.13 Apache::M\_MKACTIVITY**

**1.2.8.14 Apache::M\_MKCOL**

**1.2.8.15 Apache::M\_MKWORKSPACE**

**1.2.8.16 Apache::M\_MOVE**

**1.2.8.17 Apache::M\_OPTIONS**

**1.2.8.18 Apache::M\_PATCH**

**1.2.8.19 Apache::M\_POST**

**1.2.8.20 Apache::M\_PROPFIND**

**1.2.8.21 Apache::M\_PROPPATCH**

**1.2.8.22 Apache::M\_PUT**

**1.2.8.23 Apache::M\_REPORT**

**1.2.8.24 Apache::M\_TRACE**

**1.2.8.25 Apache::M\_UNCHECKOUT**

**1.2.8.26 Apache::M\_UNLOCK**

**1.2.8.27 Apache::M\_UPDATE**

**1.2.8.28 Apache::M\_VERSION\_CONTROL**

## ***1.2.9 :mpmq***

```
use Apache::Const -compile => qw(:mpmq);
```

The :mpmq group is for querying MPM properties.



**1.2.9.1 Apache::MPMQ\_NOT\_SUPPORTED**

**1.2.9.2 Apache::MPMQ\_STATIC**

**1.2.9.3 Apache::MPMQ\_DYNAMIC**

**1.2.9.4 Apache::MPMQ\_MAX\_DAEMON\_USED**

**1.2.9.5 Apache::MPMQ\_IS\_THREADED**

**1.2.9.6 Apache::MPMQ\_IS\_FORKED**

**1.2.9.7 Apache::MPMQ\_HARD\_LIMIT\_DAEMONS**

**1.2.9.8 Apache::MPMQ\_HARD\_LIMIT\_THREADS**

**1.2.9.9 Apache::MPMQ\_MAX\_THREADS**

**1.2.9.10 Apache::MPMQ\_MIN\_SPARE\_DAEMONS**

**1.2.9.11 Apache::MPMQ\_MIN\_SPARE\_THREADS**

**1.2.9.12 Apache::MPMQ\_MAX\_SPARE\_DAEMONS**

**1.2.9.13 Apache::MPMQ\_MAX\_SPARE\_THREADS**

**1.2.9.14 Apache::MPMQ\_MAX\_REQUESTS\_DAEMON**

**1.2.9.15 Apache::MPMQ\_MAX\_DAEMONS**

## ***1.2.10 :options***

```
use Apache::Const -compile => qw(:options);
```

The :options group is for XXX constants.

**1.2.10.1 Apache::OPT\_ALL**

**1.2.10.2 Apache::OPT\_EXECCGI**

**1.2.10.3 Apache::OPT\_INCLUDES**

#### 1.2.11 :override

**1.2.10.4 Apache::OPT\_INCNOEXEC**

**1.2.10.5 Apache::OPT\_INDEXES**

**1.2.10.6 Apache::OPT\_MULTI**

**1.2.10.7 Apache::OPT\_NONE**

**1.2.10.8 Apache::OPT\_SYM\_LINKS**

**1.2.10.9 Apache::OPT\_SYM\_OWNER**

**1.2.10.10 Apache::OPT\_UNSET**

### ***1.2.11 :override***

```
use Apache::Const -compile => qw(:override);
```

The :override group is for XXX constants.

**1.2.11.1 Apache::ACCESS\_CONF**

**1.2.11.2 Apache::OR\_ALL**

**1.2.11.3 Apache::OR\_AUTHCFG**

**1.2.11.4 Apache::OR\_FILEINFO**

**1.2.11.5 Apache::OR\_INDEXES**

**1.2.11.6 Apache::OR\_LIMIT**

**1.2.11.7 Apache::OR\_NONE**

**1.2.11.8 Apache::OR\_OPTIONS**

**1.2.11.9 Apache::OR\_UNSET**

**1.2.11.10 Apache::RSRC\_CONF**

### ***1.2.12 :platform***

```
use Apache::Const -compile => qw(:platform);
```

The :platform group is for constants that may differ from OS to OS.

#### 1.2.12.1 Apache::CRLF

#### 1.2.12.2 Apache::CR

#### 1.2.12.3 Apache::LF

### 1.2.13 *:remotehost*

```
use Apache::Const -compile => qw(:remotehost);
```

The `:remotehost` group is for XXX constants.

#### 1.2.13.1 Apache::REMOTE\_DOUBLE\_REV

#### 1.2.13.2 Apache::REMOTE\_HOST

#### 1.2.13.3 Apache::REMOTE\_NAME

#### 1.2.13.4 Apache::REMOTE\_NOLOOKUP

### 1.2.14 *:satisfy*

```
use Apache::Const -compile => qw(:satisfy);
```

The `:satisfy` group is for XXX constants.

#### 1.2.14.1 Apache::SATISFY\_ALL

#### 1.2.14.2 Apache::SATISFY\_ANY

#### 1.2.14.3 Apache::SATISFY\_NOSPEC

### 1.2.15 *:types*

```
use Apache::Const -compile => qw(:types);
```

The `:types` group is for XXX constants.

#### 1.2.15.1 Apache::DIR\_MAGIC\_TYPE

## 1.3 See Also

`mod_perl 2.0 documentation`.

## **1.4 Copyright**

mod\_perl 2.0 and its core modules are copyrighted under The Apache Software License, Version 1.1.

## **1.5 Authors**

The mod\_perl development team and numerous contributors.

## Table of Contents:

1	Apache::Const - Perl Interface for Apache Constants	1
1.1	Synopsis	2
1.2	Constants	2
1.2.1	:cmd_how	2
1.2.1.1	Apache::FLAG	2
1.2.1.2	Apache::ITERATE	2
1.2.1.3	Apache::ITERATE2	2
1.2.1.4	Apache::NO_ARGS	2
1.2.1.5	Apache::RAW_ARGS	2
1.2.1.6	Apache::TAKE1	2
1.2.1.7	Apache::TAKE12	2
1.2.1.8	Apache::TAKE123	2
1.2.1.9	Apache::TAKE13	2
1.2.1.10	Apache::TAKE2	2
1.2.1.11	Apache::TAKE23	2
1.2.1.12	Apache::TAKE3	2
1.2.2	:common	2
1.2.2.1	Apache::AUTH_REQUIRED	3
1.2.2.2	Apache::DECLINED	3
1.2.2.3	Apache::DONE	3
1.2.2.4	Apache::FORBIDDEN	3
1.2.2.5	Apache::NOT_FOUND	3
1.2.2.6	Apache::OK	3
1.2.2.7	Apache::REDIRECT	3
1.2.2.8	Apache::SERVER_ERROR	3
1.2.3	:config	3
1.2.3.1	Apache::DECLINE_CMD	3
1.2.4	:filter_type	3
1.2.4.1	Apache::FTYPE_CONNECTION	3
1.2.4.2	Apache::FTYPE_CONTENT_SET	3
1.2.4.3	Apache::FTYPE_NETWORK	3
1.2.4.4	Apache::FTYPE_PROTOCOL	3
1.2.4.5	Apache::FTYPE_RESOURCE	3
1.2.4.6	Apache::FTYPE_TRANSCODE	3
1.2.5	:http	4
1.2.5.1	Apache::HTTP_ACCEPTED	4
1.2.5.2	Apache::HTTP_BAD_GATEWAY	4
1.2.5.3	Apache::HTTP_BAD_REQUEST	4
1.2.5.4	Apache::HTTP_CONFLICT	4
1.2.5.5	Apache::HTTP_CONTINUE	4
1.2.5.6	Apache::HTTP_CREATED	4
1.2.5.7	Apache::HTTP_EXPECTATION_FAILED	4
1.2.5.8	Apache::HTTP_FAILED_DEPENDENCY	4
1.2.5.9	Apache::HTTP_FORBIDDEN	4

# Table of Contents:

1.2.5.10	Apache::HTTP_GATEWAY_TIME_OUT	.4
1.2.5.11	Apache::HTTP_GONE	.4
1.2.5.12	Apache::HTTP_INSUFFICIENT_STORAGE	.4
1.2.5.13	Apache::HTTP_INTERNAL_SERVER_ERROR	.4
1.2.5.14	Apache::HTTP_LENGTH_REQUIRED	.4
1.2.5.15	Apache::HTTP_LOCKED	.4
1.2.5.16	Apache::HTTP_METHOD_NOT_ALLOWED	.4
1.2.5.17	Apache::HTTP_MOVED_PERMANENTLY	.4
1.2.5.18	Apache::HTTP_MOVED_TEMPORARILY	.4
1.2.5.19	Apache::HTTP_MULTIPLE_CHOICES	.4
1.2.5.20	Apache::HTTP_MULTI_STATUS	.5
1.2.5.21	Apache::HTTP_NON_AUTHORITATIVE	.5
1.2.5.22	Apache::HTTP_NOT_ACCEPTABLE	.5
1.2.5.23	Apache::HTTP_NOT_EXTENDED	.5
1.2.5.24	Apache::HTTP_NOT_FOUND	.5
1.2.5.25	Apache::HTTP_NOT_IMPLEMENTED	.5
1.2.5.26	Apache::HTTP_NOT_MODIFIED	.5
1.2.5.27	Apache::HTTP_NO_CONTENT	.5
1.2.5.28	Apache::HTTP_OK	.5
1.2.5.29	Apache::HTTP_PARTIAL_CONTENT	.5
1.2.5.30	Apache::HTTP_PAYMENT_REQUIRED	.5
1.2.5.31	Apache::HTTP_PRECONDITION_FAILED	.5
1.2.5.32	Apache::HTTP_PROCESSING	.5
1.2.5.33	Apache::HTTP_PROXY_AUTHENTICATION_REQUIRED	.5
1.2.5.34	Apache::HTTP_RANGE_NOT_SATISFIABLE	.5
1.2.5.35	Apache::HTTP_REQUEST_ENTITY_TOO_LARGE	.5
1.2.5.36	Apache::HTTP_REQUEST_TIME_OUT	.5
1.2.5.37	Apache::HTTP_REQUEST_URI_TOO_LARGE	.5
1.2.5.38	Apache::HTTP_RESET_CONTENT	.5
1.2.5.39	Apache::HTTP_SEE_OTHER	.5
1.2.5.40	Apache::HTTP_SERVICE_UNAVAILABLE	.5
1.2.5.41	Apache::HTTP_SWITCHING_PROTOCOLS	.6
1.2.5.42	Apache::HTTP_TEMPORARY_REDIRECT	.6
1.2.5.43	Apache::HTTP_UNAUTHORIZED	.6
1.2.5.44	Apache::HTTP_UNPROCESSABLE_ENTITY	.6
1.2.5.45	Apache::HTTP_UNSUPPORTED_MEDIA_TYPE	.6
1.2.5.46	Apache::HTTP_USE_PROXY	.6
1.2.5.47	Apache::HTTP_VARIANT_ALSO_VARIES	.6
1.2.6	:input_mode	.6
1.2.6.1	Apache::MODE_EATCRLF	.6
1.2.6.2	Apache::MODE_EXHAUSTIVE	.6
1.2.6.3	Apache::MODE_GETLINE	.6
1.2.6.4	Apache::MODE_INIT	.6
1.2.6.5	Apache::MODE_READBYTES	.6
1.2.6.6	Apache::MODE_SPECULATIVE	.6
1.2.7	:log	.6
1.2.7.1	Apache::LOG_ALERT	.6

1.2.7.2	Apache::LOG_CRIT	.6
1.2.7.3	Apache::LOG_DEBUG	.6
1.2.7.4	Apache::LOG_EMERG	.7
1.2.7.5	Apache::LOG_ERR	.7
1.2.7.6	Apache::LOG_INFO	.7
1.2.7.7	Apache::LOG_LEVELMASK	.7
1.2.7.8	Apache::LOG_NOTICE	.7
1.2.7.9	Apache::LOG_STARTUP	.7
1.2.7.10	Apache::LOG_TOCLIENT	.7
1.2.7.11	Apache::LOG_WARNING	.7
1.2.8	:methods	.7
1.2.8.1	Apache::METHODS	.7
1.2.8.2	Apache::M_BASELINE_CONTROL	.7
1.2.8.3	Apache::M_CHECKIN	.7
1.2.8.4	Apache::M_CHECKOUT	.7
1.2.8.5	Apache::M_CONNECT	.7
1.2.8.6	Apache::M_COPY	.7
1.2.8.7	Apache::M_DELETE	.7
1.2.8.8	Apache::M_GET	.7
1.2.8.9	Apache::M_INVALID	.7
1.2.8.10	Apache::M_LABEL	.7
1.2.8.11	Apache::M_LOCK	.8
1.2.8.12	Apache::M_MERGE	.8
1.2.8.13	Apache::M_MKACTIVITY	.8
1.2.8.14	Apache::M_MKCOL	.8
1.2.8.15	Apache::M_MKWORKSPACE	.8
1.2.8.16	Apache::M_MOVE	.8
1.2.8.17	Apache::M_OPTIONS	.8
1.2.8.18	Apache::M_PATCH	.8
1.2.8.19	Apache::M_POST	.8
1.2.8.20	Apache::M_PROPFIND	.8
1.2.8.21	Apache::M_PROPPATCH	.8
1.2.8.22	Apache::M_PUT	.8
1.2.8.23	Apache::M_REPORT	.8
1.2.8.24	Apache::M_TRACE	.8
1.2.8.25	Apache::M_UNCHECKOUT	.8
1.2.8.26	Apache::M_UNLOCK	.8
1.2.8.27	Apache::M_UPDATE	.8
1.2.8.28	Apache::M_VERSION_CONTROL	.8
1.2.9	:mpmq	.8
1.2.9.1	Apache::MPMQ_NOT_SUPPORTED	.9
1.2.9.2	Apache::MPMQ_STATIC	.9
1.2.9.3	Apache::MPMQ_DYNAMIC	.9
1.2.9.4	Apache::MPMQ_MAX_DAEMON_USED	.9
1.2.9.5	Apache::MPMQ_IS_THREADED	.9
1.2.9.6	Apache::MPMQ_IS_FORKED	.9
1.2.9.7	Apache::MPMQ_HARD_LIMIT_DAEMONS	.9

## Table of Contents:

1.2.9.8	Apache::MPMQ_HARD_LIMIT_THREADS	. . . . .	.9
1.2.9.9	Apache::MPMQ_MAX_THREADS	. . . . .	.9
1.2.9.10	Apache::MPMQ_MIN_SPARE_DAEMONS	. . . . .	.9
1.2.9.11	Apache::MPMQ_MIN_SPARE_THREADS	. . . . .	.9
1.2.9.12	Apache::MPMQ_MAX_SPARE_DAEMONS	. . . . .	.9
1.2.9.13	Apache::MPMQ_MAX_SPARE_THREADS	. . . . .	.9
1.2.9.14	Apache::MPMQ_MAX_REQUESTS_DAEMON	. . . . .	.9
1.2.9.15	Apache::MPMQ_MAX_DAEMONS	. . . . .	.9
1.2.10	:options	. . . . .	.9
1.2.10.1	Apache::OPT_ALL	. . . . .	.9
1.2.10.2	Apache::OPT_EXECCGI	. . . . .	.9
1.2.10.3	Apache::OPT_INCLUDES	. . . . .	.9
1.2.10.4	Apache::OPT_INCNOEXEC	. . . . .	10
1.2.10.5	Apache::OPT_INDEXES	. . . . .	10
1.2.10.6	Apache::OPT_MULTI	. . . . .	10
1.2.10.7	Apache::OPT_NONE	. . . . .	10
1.2.10.8	Apache::OPT_SYM_LINKS	. . . . .	10
1.2.10.9	Apache::OPT_SYM_OWNER	. . . . .	10
1.2.10.10	Apache::OPT_UNSET	. . . . .	10
1.2.11	:override	. . . . .	10
1.2.11.1	Apache::ACCESS_CONF	. . . . .	10
1.2.11.2	Apache::OR_ALL	. . . . .	10
1.2.11.3	Apache::OR_AUTHCFG	. . . . .	10
1.2.11.4	Apache::OR_FILEINFO	. . . . .	10
1.2.11.5	Apache::OR_INDEXES	. . . . .	10
1.2.11.6	Apache::OR_LIMIT	. . . . .	10
1.2.11.7	Apache::OR_NONE	. . . . .	10
1.2.11.8	Apache::OR_OPTIONS	. . . . .	10
1.2.11.9	Apache::OR_UNSET	. . . . .	10
1.2.11.10	Apache::RSRC_CONF	. . . . .	10
1.2.12	:platform	. . . . .	10
1.2.12.1	Apache::CRLF	. . . . .	11
1.2.12.2	Apache::CR	. . . . .	11
1.2.12.3	Apache::LF	. . . . .	11
1.2.13	:remotehost	. . . . .	11
1.2.13.1	Apache::REMOTE_DOUBLE_REV	. . . . .	11
1.2.13.2	Apache::REMOTE_HOST	. . . . .	11
1.2.13.3	Apache::REMOTE_NAME	. . . . .	11
1.2.13.4	Apache::REMOTE_NOLOOKUP	. . . . .	11
1.2.14	:satisfy	. . . . .	11
1.2.14.1	Apache::SATISFY_ALL	. . . . .	11
1.2.14.2	Apache::SATISFY_ANY	. . . . .	11
1.2.14.3	Apache::SATISFY_NOSPEC	. . . . .	11
1.2.15	:types	. . . . .	11
1.2.15.1	Apache::DIR_MAGIC_TYPE	. . . . .	11
1.3	See Also	. . . . .	11
1.4	Copyright	. . . . .	12



1.5 Authors	12
-------------	----